


2017

PDF Version, Rev. E



Build the Future Together



terminal blocks

Catalogue

Introduction

Elinker Electric is a high quality manufacturer of PCB and DIN Rail terminal blocks. We focus on four key areas to insure high quality terminal blocks and total customer satisfaction using the latest technology. These key areas include **Customer Satisfaction**, **Design Engineering**, **Quality**, and **On-Time Delivery**.



Customer Satisfaction is carried out throughout Elinker. Customer interface with our friendly and knowledgeable Customer Service Representative where all the information needed for order entry, processing, shipping, pricing, and order expediting are immediately available electronically.



Design Engineering is able to create new designs to solve our OEM customer's requirements. Using the Solid Works modeling technology enables our engineers to design the optimum terminal blocks.



Quality is designed, built in and verified on terminal blocks. This provides our customers consistently the highest quality product. Parts are measured to verify all dimensions prior to manufacturing the finished product.



On-Time Delivery is a focus for everyone at Elinker which has resulted in an on-time delivery greater than 98% on time.

PLUGGABLE TERMINAL BLOCKS

LC1-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE


LC1M-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE


PLUGGABLE TERMINAL BLOCKS

LC2A-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2A-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2B-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2B-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2A-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2A-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2AM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2AM-3.81 Series




Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2BM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2BM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2AM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2AM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC2B-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2B-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2A-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2A-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2B-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2B-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2BM-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2BM-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2AM-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2AM-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2BM-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2BM-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC3-3.81 Series


Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC3M-3.81 Series


Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC3-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC3-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC3M-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3M-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3M-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC3M-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC4-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC4-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC4M-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC4M-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5M-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5M-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC6-3.5 Series


Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6-3.81 Series


Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6-5.08Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE


PLUGGABLE TERMINAL BLOCKS

LC6M-3.5 Series




Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6M-3.81 Series




Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6M-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6M-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6-2.5 Series




Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	4A
Max Voltage	160V
Approvals	UL, CE

LC6MJ-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6MJ-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6H-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6H-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE


LC6HM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE


PLUGGABLE TERMINAL BLOCKS

LC6HM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC7A-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7A-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7AM-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7AM-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7B-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7B-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7BM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7BM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC8-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8M-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE


PLUGGABLE TERMINAL BLOCKS

LC8M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8MJ-3.5 Series




Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8MJ-3.81 Series




Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC9-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC9M-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC10-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC10M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC10-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC10M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC10MG-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC10-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	630V
Approvals	UL, CE

LC10M-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	630V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC10MG-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	630V
Approvals	UL, CE

LC11-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC11-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC11M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC11M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC12V-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12V-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12V-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC12VM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC12R-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12R-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC12RM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC12V-7.5 Series




Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12V-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12VM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12VM -7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12R-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC12R -7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC12RM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC12RM -7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC13-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-12
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC13M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-12
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC14-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC14-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC14-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC15-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC15-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC16-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC16-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC17U-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC17UM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC18-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC17-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC18-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC18M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC19U-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC19UM-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC19Y-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

UKK2.5/PCB-5.08



Center Spacing	5.08mm(.20")
Poles	
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC20



Center Spacing	
Poles	
Max Current	
Max Voltage	
Approvals	

LZ20



Center Spacing	
Poles	
Max Current	
Max Voltage	
Approvals	

PLUG HEADER TERMINAL BLOCKS

LZ1R-2.5 Series



Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	4A
Max Voltage	160V
Approvals	UL, CE

LZ1V-2.5 Series



Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	4A
Max Voltage	160V
Approvals	UL, CE

LZ1R-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1R-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1V-3.5 Series




Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1V-3.81 Series




Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1RM-3.5 Series




Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1RM-3.81 Series




Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1VM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1VM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1R-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ1V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1V-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1RK-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1RK-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1VK-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1VK-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1RM-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1RM-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1VM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1VM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1R-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ1V-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1V-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RK-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RK-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VK-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VK-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RM-7.5 Series




Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RM-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VM-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ2D-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ2D-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ2DM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ2DM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ2D-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ2D-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ2DK-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ2DK-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RH-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RH-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VH-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VH-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RHM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RHM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ3VHM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VHM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RT-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RT-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VT-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VT-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RH-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3RH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3VH-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3VH-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3RT-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RT-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ3VT-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VT-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTK-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTK-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTK-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTK-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ4-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ4K-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	8A
Max Voltage	320V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ5M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ5M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ5X-3.81 Series



Center Spacing	3.81mm(.15")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ5X-5.08 Series



Center Spacing	5.08mm(.20")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ5X-7.62 Series



Center Spacing	7.62mm(.30")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6-3.81 Series



Center Spacing	3.81mm(.15")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6-5.08 Series



Center Spacing	5.08mm(.20")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6D-3.81 Series



Center Spacing	3.81mm(.15")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE


LZ6D-5.08 Series



Center Spacing	5.08mm(.20")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE


SOLDER TERMINAL BLOCKS

LG103-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG103-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC105R-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LC105R-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LC105R-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LC105V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LC105V-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LC105V-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LG126D-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG126D-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG126R-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG126R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG126V-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG126V-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG127V-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127V-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127AH-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127AH-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127BH-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127BH-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127AHH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	10A
Max Voltage	320V
Approvals	UL, CE

LG127AHH-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	10A
Max Voltage	320V
Approvals	UL, CE

LG127D-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	320V
Approvals	UL, CE

LG127D-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	320V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG128-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LG128-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LG128-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LG128-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LG129-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	16A
Max Voltage	400V
Approvals	UL, CE

LG129-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	16A
Max Voltage	400V
Approvals	UL, CE

LG129-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-12
Max Current	24A
Max Voltage	630V
Approvals	UL, CE

LG129-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-12
Max Current	24A
Max Voltage	630V
Approvals	UL, CE

LG129D-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LG129D-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LG129D-7.5 Series


Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	400V
Approvals	UL, CE

LG129D-7.62 Series


Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	24A
Max Voltage	400V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG129R-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LG129R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	24A
Max Voltage	320V
Approvals	UL, CE

LG129H-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	22A
Max Voltage	320V
Approvals	UL, CE

LG129H-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	22A
Max Voltage	320V
Approvals	UL, CE

LG135-10.16 Series



Center Spacing	10.16mm(.40")
Poles	2-24
Max Current	57A
Max Voltage	750V
Approvals	UL, CE

LG166-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	22A
Max Voltage	250V
Approvals	UL, CE

LG167V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	22A
Max Voltage	450V
Approvals	UL, CE

LG167R-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	22A
Max Voltage	450V
Approvals	UL, CE

LG254-2.54 Series



Center Spacing	2.54mm(.10")
Poles	2-24
Max Current	8A
Max Voltage	150V
Approvals	UL, CE

LG300V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	250V
Approvals	UL, CE

LG300R-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	250V
Approvals	UL, CE

LG301V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	250V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG330-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	250V
Approvals	UL, CE

LG332-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	250V
Approvals	UL, CE

LG332J-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	250V
Approvals	UL, CE

LG350V-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG350V-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG350R-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG350R-3.81 Series


Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG350D-3.5 Series


Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG350D-3.81 Series


Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381-3.5 Series


Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381AZL-3.5 Series


Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG381AZL-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381AHZL-3.5 Series




Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381AHZL-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG396V-3.96 Series



Center Spacing	3.96mm(.156")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG396R-3.96 Series



Center Spacing	3.96mm(.156")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG636-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-24
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG500-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AZL-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AZL-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AHZL-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AHZL-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG500R-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500R-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500H-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500H-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500HH-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500HH-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BZL-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BZL-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BHL-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BHL-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500AHZ-5.0 Series


Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500AHZ-5.08 Series


Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG635-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-12
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG762-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-10
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG950-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-7
Max Current	32A
Max Voltage	1000V
Approvals	UL, CE

LG635D-6.35 Series



Center Spacing	6.35mm(.259")
Poles	2-12
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG762D-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-10
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG950D-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-7
Max Current	32A
Max Voltage	1000V
Approvals	UL, CE

LG1000-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	57A
Max Voltage	320V
Approvals	UL, CE

LG1016A-10.16 Series



Center Spacing	10.16mm(.40")
Poles	2-24
Max Current	57A
Max Voltage	1000V
Approvals	UL, CE

LG1016B-10.16 Series



Center Spacing	10.16mm(.40")
Poles	2-24
Max Current	57A
Max Voltage	1000V
Approvals	UL, CE

LG1270-12.7 Series



Center Spacing	12.7mm(.50")
Poles	2-24
Max Current	57A
Max Voltage	1000V
Approvals	UL, CE

LG1500-15.0 Series



Center Spacing	15.0mm(.591")
Poles	2-24
Max Current	125A
Max Voltage	1000V
Approvals	UL, CE


LG1500M-15.0 Series



Center Spacing	15.0mm(.591")
Poles	2-24
Max Current	125A
Max Voltage	1000V
Approvals	UL, CE


SCREWLESS TERMINAL BLOCKS

LS141V-2.54 Series




Center Spacing	2.54mm(.10")
Poles	2-24
Max Current	13.5A
Max Voltage	300V
Approvals	UL, CE

LS141R-2.54 Series




Center Spacing	2.54mm(.10")
Poles	2-24
Max Current	13.5A
Max Voltage	300V
Approvals	UL, CE

LS142V-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LS142V-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LS142R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LS142R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LS202-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LS202-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LS204-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	24A
Max Voltage	300V
Approvals	UL, CE

LS204-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	24A
Max Voltage	300V
Approvals	UL, CE

LS235-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LS235-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

SCREWLESS TERMINAL BLOCKS

LS235-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LS235-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LS250-2.5 Series



Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	6A
Max Voltage	300V
Approvals	UL, CE

LS250-2.54 Series



Center Spacing	2.54mm(.10")
Poles	2-24
Max Current	6A
Max Voltage	300V
Approvals	UL, CE

LS250-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	7A
Max Voltage	300V
Approvals	UL, CE

LS250-7.0 Series



Center Spacing	7.0mm(.276")
Poles	2-24
Max Current	7A
Max Voltage	300V
Approvals	UL, CE

LS250H-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LS236-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LS236-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LS240-2.5 Series



Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	6A
Max Voltage	150V
Approvals	UL, CE

LS240-2.54 Series



Center Spacing	2.54mm(.10")
Poles	2-24
Max Current	6A
Max Voltage	150V
Approvals	UL, CE


LS240W-2.5 Series



Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	6A
Max Voltage	150V
Approvals	UL, CE

SCREWLESS TERMINAL BLOCKS

LS240W-2.54 Series



Center Spacing	2.54mm(.10")
Poles	2-24
Max Current	6A
Max Voltage	150V
Approvals	UL, CE

LS243-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LS243-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LS245-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LS245-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LS245T-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	300V
Approvals	UL, CE

LS245T-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LS245TT-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LS245TT-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	24A
Max Voltage	450V
Approvals	UL, CE

LSC1-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LSC1-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LSC1J-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

SCREWLESS TERMINAL BLOCKS

LSC1J-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LSC1M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LSC1M-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW1MC-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1C-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MB-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1B-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MQ-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1Q-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MR-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MC-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1C-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MB-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1B-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW1MQ-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MR-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1R-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MC-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1C-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MB-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1B-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MQ-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MR-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1R-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW1MC-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1C-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MB-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1B-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MQ-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MR-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1R-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MC-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1C-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MB-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1B-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW1MQ-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MR-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1R-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MC-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2C-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MB-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2B-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MQ-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2Q-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MR-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW2MC-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2C-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MB-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2B-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MQ-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2Q-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MR-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2R-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MC-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2C-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MB-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2B-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW2MQ-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2Q-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MR-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2R-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MC-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2C-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MB-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2B-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MQ-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2Q-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MR-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2R-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW2MC-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2C-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MB-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2B-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MQ-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2Q-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MR-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2R-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MC13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW2C-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW2MB-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW2B-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW2MQ-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW2Q-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW2MR-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW2R-13.0 Series



Center Spacing	13.0mm(.512")
Poles	2-16
Max Current	40A
Max Voltage	600V
Approvals	UL, CE

LW3MB-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3MB-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3B-6.35 Series




Center Spacing	6.35mm(.25")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3B-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3MR-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3MR-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3R-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LW3R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW3MB-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3B-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MR-8.25 Series




Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3R-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MB-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3B-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MR-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3R-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MB-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

LW3B-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

LW3MR-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

LW3R-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW6-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW6MQ-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW6-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW7-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW7-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE